“Sealtight” & “4 Lug” Assemblies*



ITEM #	DESCRIPTION	PART #
1	DUST COVER VENT (not shown)	BRE-MHW1500
2	STAINLESS STEEL DUST COVER	BRE-A-CO-C-817
3	HINGE PIN (3/4” SEALTIGHT)	BRE-PIA39
	HINGE PIN (5/8” 4 LUG)	BRE-MH4PIA39
4	STUD (3/4” SEALTIGHT)	BRE-SXA06
	STUD (5/8” 4 LUG)	BRE-MHCBAA32
5	WING NUT (3/4” SEALTIGHT)	BRE-HAA219
	WING NUT (5/8” 4 LUG)	BRE-HAA24
6	HOLD DOWN (3/4” SEALTIGHT)	BRE-CPA105
	HOLD DOWN (5/8” 4 LUG)	BRE-MH4CPA49
7	RUN-O-VENT (see sec. 5 pg. 3)	RUN-600
8	OPTIONAL CIP	(SEE FITTINGS 5-19)
9	STAINLESS STEEL INNER LID	BRE-MHCOB376
10	GASKET (SEALTIGHT)	BRE-MH8368BSMLS
	GASKET (4 LUG)	BRE-PGC24

MAINTENANCE TIP: Two different versions of this Manhole assembly were produced. The older style being the “4 Lug” and the newer style being the “Sealtight”. Measure the Studs or Wing Nuts to determine the size you need.

An OLSON Vent assembly (see section 5 page 3) may also be used in place of Item # 7.

Camlock Manhole Assembly

ITEM #	DESCRIPTION	PART #
1	S/S DUST COVER	BRE-MHCCOC36
2	HINGE PIN	BRE-MHCPIA03
3	OVERARM BAR	BRE-MHCBAD34
4	RUN-O-VENT (sec 5 pg 3)	RUN-600
5	MANHOLE COVER	BRE-MHCCOB52
6	MANHOLE LATCH	BRE-MHCLLB20
7	MANHOLE GASKET	BRE-MHCPGC031
8	DUST COVER LATCH	BRE-MHCLLB19

Run-O-Vent Assembly



DESCRIPTION	PART #
COMPLETE ASSY	RUN-600
CAP	RUN-600-03
PAGODA (BAFFLE)	RUN-600-02
SLEEVE	RUN-600-01

Olson Vent Assembly





ITEM #	DESCRIPTION	PART #
1	3" PLASTIC NUT	HIL-T40782
2	PLASTIC BODY	OLS-TPLASTICBDY
3	VACUUM PLUG	OLS-T21467
4	PRESSURE PLUG (STEM)	OLS-T21564
5	SPRING	OLS-T21565

MAINTENANCE TIP: The 3" Olson Vent assembly is the most common Vent found in *Sanitary Transport* Trailers. The Run-O-Vent assembly is more common to the *Farm Pick-Up* style Trailer (or Truck Mount).

Waukesha Style 60TTF



ITEM #	DESCRIPTION	PART #
1	HOOD POST NUT (3/4" THREAD)	WAU-36-25
2	HOOD POST WASHER	WAU-43-6
3	SAFETY CLIP & CABLE ASSEMBLY	WAU-165-9
4	3" BONNET NUT	WAU-36-24
5	LOWER BONNET BUNA O-RING	WAU-N50335
6	STEM GUIDE O-RING	WAU-N70210
7	LOWER BONNET HALF	WAU-52-188
8	3" STEM (WITHOUT STEM SEAT)	WAU-162-31
9	CAUTION LABEL	WAU-33-32
10	STEM SEAT BLACK	WAU-20-45B
	STEM SEAT WHITE	WAU-20-45
11	STEM CLIP	WAU-65-1
12	STEM HANDLE	WAU-54-8
13	UPPER BONNET HALF	WAU-52-8
14	TEFLON STEM GUIDE	WAU-20-11
15	3" S/S CAP	WAU-3-5
16	3" BODY ASSEMBLY	WAU-212-31

NOTE: Hoods (covers) for valves are available in Stainless Steel or Aluminum. CALL!

MAINTENANCE TIP: The Bonnet Nut on a Waukesha 60TTF valve is 3". The bonnet nut on an L.C. Thomsen 60TTF valve is 3 1/2". The Hood Post on a Waukesha valve is 3/4", 5/8" on a L.C. Thomsen.

L.C. Thomsen Style 60TTF



ITEM #	DESCRIPTION	PART #
1	STEM CLIP	LCT-13635-00
2	STEM HANDLE	LCT-14050-00
3	HOOD POST NUT (5/8" THREAD)	LCT-1054-00
4	HOOD POST WASHER	LCT-14023-00
5	STEM SEAT (WHITE OR BLACK)	LCT-14116-00
6	HOOD POST (5/8" AVAIL.IN 3/4")	LCT-14010-00
7	3" BODY ASSEMBLY	LCT-14076-00
8	3" STEM (WITHOUT STEM SEAT)	LCT-14099-00
9	SAFETY CLIP & CABLE ASSEMBLY	LCT-14163-00
10	ONE PIECE BONNET	LCT-14030-00
11	3 1/2" BONNET NUT	LCT-2248-00
12	STEM O-RING	LCT-3129-00
13	3" ACME THREADED NUT	LCT-2234-00
14	3" S/S CAP	LCT-2314-00

NOTE: Hoods (covers) for valves are available in Stainless Steel or Aluminum. CALL!

MAINTENANCE TIP: The Bonnet Nut (Item # 11) on a L.C. Thomsen 60TTF valve is 3 1/2". This is an easy way to determine the difference between a L.C. Thomsen valve and a Waukesha valve.

Farm Pick-Up Style Valve



ITEM #	DESCRIPTION	PART #
1	STEM CLIP	LCT-13635-00
2	STEM HANDLE	LCT-14050-00
3	STEM (SPECIFY LENGTH)	LCT-14182-00
4	3" HEX NUT	LCT-2234-00
5	LOWER BONNET HALF	LCT-14032-00
6	VALVE BODY	LCT-14230-00
7	CABLE/CLIP ASSEMBLY	LCT-14163-00
8	UPPER BONNET HALF	LCT-14034-00
9	STEM O-RING	LCT-3117-00

NOTE: This valve is available in many different sizes & configurations. Please call us for your needs!

MAINTENANCE TIPS:

1. Measure the STEM LENGTH (Item # 3) before calling for replacement. This will help your Service Representative determine your needs much quicker.

2. Valve port configurations are determined by leaving the valve in place on the tank and seeing where the ports are located in relation to a clock position (e.g. 2" port at 3 O'clock, 3" port at 6 O'clock)

Farm Cooler Valve



AVAILABLE IN 1 1/2" OR 2". 45 OR 90 DEGREE OUTLETS (90 DEG. SHOWN)

ITEM #	DESCRIPTION	PART #
1	VALVE BODY	LCT-13783-00
2	HANDLE	LCT-14549-00
3	STEM CLIP	LCT-13635-00
4	STEM	LCT-13718-00
5	O-RING (NOT SHOWN)	LCT-3135-00
6	COMPLETE ASSEMBLY	CALL

Safety Items

WARNING DECAL

DANGER DECAL



SAFETY CLIP

DESCRIPTION	PART #
WARNING DECAL	LCT-14159-00
DANGER DECAL	LCT-14270-00
SAFETY CLIP	LCT-14163-00
COMPLETE KIT	LCT-14272-40

SAFETY TIP: Failure to use the above items could result in serious injury to personnel operating valves while on-loading or off-loading.

ITT JABSCO 2” 90 GPM PUMP

FEATURES:

BODY: TYPE 316 STAINLESS
IMPELLER: NEOPRENE COMP.
SEAL: CARBON FACE
BEARINGS: BALL BEARINGS
SHAFT: T-316 STAINLESS
PORTS: 2” ACME THREADS
WEIGHT: 34 LB (15.4 KG) APPROX



ITEM #	DESCRIPTION	PART #
1	CLAMP SCREW	JAB-180240000
2	CLAMP	JAB-129270000
3	END COVER	JAB-103450001
4	O-RING	JAB-920000030
5	IMPELLER	JAB-89840005
6	BODY (ACME)	JAB-150740061
7	WEARPLATE	JAB-103460020
8	SHAFT SEAL	JAB-90230000
9	SEAL COLLAR	JAB-78660000
10	BEARING SEAL	JAB-927020780
11	RETAINING RING	JAB-187260000
12	BEARING HOUSING	JAB-129250000
13	BALL BEARING	JAB-187530007
14	SHAFT	JAB-180230000
15	KEY	JAB-92140000

ITT JABSCO 2.5” 120 GPM PUMP

FEATURES:

BODY: TYPE 316 STAINLESS STEEL
IMPELLER: NEOPRENE COMPOUND
SEAL: SANITARY MECHANICAL
BEARINGS: BALL/ROLLER
SHAFT: TYPE 316 STAINLESS STEEL
PORTS: 2.5” ACME THREADS
WEIGHT: 45 LB (20.4 KG) APPROX.



ITEM #	DESCRIPTION	PART #
1	CLAMP SCREW	JAB-187530473
2	CLAMP FRAME	JAB-187530474
3	END COVER	JAB-187530475
4	O-RING	JAB-187530476
5	IMPELLER	JAB-85000005
6	BODY (ACME)	JAB-187530477
7	WEARPLATE	JAB-187530478
8	SEAL KIT	JAB-187530479
9	BEARING SEAL	JAB-187530482
10	RETAINING RING	JAB-187530483
11	BEARING HOUSING	JAB-187530484
12	BEARING (FRONT)	JAB-187530481
13	SHAFT	JAB-187530486
14	KEY	JAB-187530487
15	BEARING (REAR)	JAB-187530485
16	RETAINING RING, SHAFT	JAB-187530480

L.C. Thomsen Centrifugal

(STANDARD INTERNAL SEAL)



Model # 6

NOTE: Pump does not include motor, please call to inquire about our great prices!

Thomsen's standard internal seal assembly is well suited for most general pumping applications. It has exceptional wear characteristics. It is lubricated and cooled by the product and uses internal pump pressure to help form a positive seal. With the proper elastomer, it will withstand temperatures up to 400 degrees Fahrenheit.



ITEM #	PART #	DESCRIPTION
1	LCT-9351-40	ADAPTER BOLT 1/2"
2	LCT-9340-40	SET SCREW 5/16"-18
3	LCT-9335-TO	TEFLON SEAL
4	LCT-9305-68	ROTARY TENSION SPRING
5	LCT-9415-67	IMPELLER 5 7/8" DIA.
6	LCT-9312-48	HEAD CLAMP ASSY.
7	LCT-9154-67	PUMP HEAD CASING (2X2 THREADED)
8	MOTOR (CALL!)	MOTOR (CALL!)
9	LCT-9265-04	CAST IRON PUMP ADAPTER
10	LCT-9532-67	DRIVE SHAFT 1 1/8" BORE
11	LCT-9240-67	BACKPLATE, INTERNAL SEAL
12	LCT-3139-BO	SEAL O-RING, BUNA
13	LCT-9345-60	IMPELLER CLIP
14	LCT-3182-BO	HEAD O-RING, BUNA

Aluminum Wrenches



SINGLE END WRENCH

SIZE	PART #
1”	LCT-2970-90
1 1/2”	LCT-2971-90
2”	LCT-2972-90
2 1/2”	LCT-2973-90
3”	LCT-2974-90
4”	LCT-2975-90



COMBINATION WRENCH

SIZE	PART #
1 1/2” X 1”	LCT-2980-90
2 X 1 1/2”	LCT-2981-90
2 1/2” X 2”	LCT-2982-90
3” X 2”	LCT-2983-90



SHORT HANDLED WRENCH

SIZE	PART #
1”	LCT-2984-90
1 1/2”	LCT-2985-90
2”	LCT-2986-90
2 1/2”	LCT-2987-90
3”	LCT-2988-90



SINGLE END COMBINATION WRENCH

SIZE	PART #
3 1/2” X 3”	LCT-2990-90

NOTE: A newer style single end combination wrench is now available in this size. It is simular to the short handled single end wrench but supports 3 1/2” on one side & 3” on the other (without the split as pictured here). Call for current price and availability!

Butt-Weld 90 Degree Elbows



PART #	TUBE SIZE	DIM "A"	DIM "B"
LCT-6000	1"	2 1/16"	
LCT-6001	1 1/2"	2 15/16"	
LCT-6002	2"	4 1/16"	
LCT-6003	2 1/2"	5 3/16"	
LCT-6004	3"	6 5/16"	
LCT-6005	4"	8 5/16"	



PART #	TUBE SIZE	DIM "A"	DIM "B"
LCT-6199	1 1/2"	2 15/16"	3 21/32"
LCT-6200	2"	4 1/16"	4 13/16"
LCT-6201	2 1/2"	5 3/16"	6 1/16"
LCT-6202	3"	6 5/16"	7 7/32"
LCT-6203	4"	8 5/16"	9 11/32"



PART #	TUBE SIZE	DIM "A"	DIM "B"
LCT-6008	1 1/2"	2 15/16"	3 7/16"
LCT-6009	2"	4 1/16"	4 9/16"
LCT-6010	2 1/2"	5 3/16"	5 11/16"
LCT-6011	3"	6 5/16"	6 13/16"
LCT-6012	4"	8 5/16"	8 15/16"

PART #	TUBE SIZE	DIM "A"	DIM "B"
LCT-6207	1 1/2"	2 15/16"	3 21/32"
LCT-6208	2"	4 1/16"	4 13/16"
LCT-6209	2 1/2"	5 3/16"	6 1/16"
LCT-6210	3"	6 5/16"	7 7/32"
LCT-6211	4"	8 5/16"	9 11/32"

note: nut is shown for reference only, it is not included with the elbow.

NOTE: Unless otherwise specified, all fittings in this section are 3A approved.

Butt-Weld 45 Degree Elbows



PART #	TUBE SIZE	DIM "A"	DIM "B"
LCT-6524	1"	1 13/16"	
LCT-6525	1 1/2"	1 5/8"	
LCT-6526	2"	2 5/16"	
LCT-6527	2 1/2"	3"	
LCT-6528	3"	3 11/16"	
LCT-6529	4"	4 13/16"	



PART #	TUBE SIZE	DIM "A"	DIM "B"
LCT-6539	1 1/2"	1 5/8"	2 11/32"
LCT-6540	2"	2 5/16"	3 1/16"
LCT-6541	2 1/2"	3"	3 7/8"
LCT-6542	3"	3 11/16"	4 19/32"
LCT-6543	4"	4 13/16"	5 27/32"



PART #	TUBE SIZE	DIM "A"	DIM "B"
LCT-6532	1 1/2"	1 5/8"	2 1/8"
LCT-6533	2"	2 5/16"	2 13/16"
LCT-6534	2 1/2"	3"	3 1/2"
LCT-6535	3"	3 11/16"	4 3/16"
LCT-6536	4"	4 13/16"	5 7/16"



PART #	TUBE SIZE	DIM "A"	DIM "B"
LCT-6546	1 1/2"	1 5/8"	2 11/32"
LCT-6547	2"	2 5/16"	3 1/16"
LCT-6548	2 1/2"	3"	3 7/8"
LCT-6549	3"	3 11/16"	4 19/32"
LCT-6550	4"	4 13/16"	5 27/32"

note: nut is shown for reference only, it is not included with the elbow.

NOTE: Unless otherwise specified, all fittings in this section are 3A approved.

Butt-Weld Concentric Reducers



PART #	TUBE SIZE	DIM "A"
LCT-5910	1 1/2" x 1"	2"
LCT-5911	2" x 1 1/2"	2"
LCT-5925	2 1/2" x 1 1/2"	4"
LCT-5912	2 1/2" x 2"	2"
LCT-5913	3" x 2"	4"
LCT-5914	3" x 2 1/2"	2"
LCT-5927	4" x 2"	8"
LCT-5928	4" x 2 1/2"	6"
LCT-5915	4" x 3"	4"



PART #	TUBE SIZE	DIM "A"
LCT-8284	1 1/2" x 1"	3 3/8"
LCT-8285	2" x 1 1/2"	3 7/8"
LCT-8286	2 1/2" x 1 1/2"	6"
LCT-8287	2 1/2" x 2"	4 1/4"
LCT-8289	3" x 2"	6 3/8"
LCT-8290	3" x 2 1/2"	4 1/2"
LCT-8292	4" x 2"	10 1/2"
LCT-8293	4" x 2 1/2"	8 5/8"
LCT-8294	4" x 3"	6 3/4"



PART #	TUBE SIZE	DIM "A"
LCT-8312	2" x 1 1/2"	2 3/4"
LCT-8313	2 1/2" x 1 1/2"	4 7/8"
LCT-8314	2 1/2" x 2"	2 7/8"
LCT-8316	3" x 2"	4 29/32"
LCT-8317	3" x 2 1/2"	2 29/32"
LCT-8318	4" x 2"	9 1/32"
LCT-8319	4" x 2 1/2"	7 1/32"
LCT-8320	4" x 3"	5 1/32"



PART #	TUBE SIZE	DIM "A"
LCT-8327	2" x 1 1/2"	2 1/2"
LCT-8328	2 1/2" x 1 1/2"	4 1/2"
LCT-8329	2 1/2" x 2"	2 1/2"
LCT-8332	3" x 2"	4 1/2"
LCT-8333	3" x 2 1/2"	2 1/2"
LCT-8334	4" x 2"	8 5/8"
LCT-8335	4" x 2 1/2"	6 5/8"
LCT-8336	4" x 3"	4 5/8"

NOTE: Unless otherwise specified, all fittings in this section are 3A approved.

Butt-Weld Eccentric Reducers



PART #	TUBE SIZE	DIM "A"
LCT-5917	1 1/2" x 1"	2"
LCT-5918	2" x 1 1/2"	2"
LCT-5931	2 1/2" x 1 1/2"	4"
LCT-5919	2 1/2" x 2"	2"
LCT-5920	3" x 2"	4"
LCT-5921	3" x 2 1/2"	2"
LCT-5933	4" x 2"	8"
LCT-5934	4" x 2 1/2"	6"
LCT-5922	4" x 3"	4"



PART #	TUBE SIZE	DIM "A"
LCT-8297	1 1/2" x 1"	3 3/8"
LCT-8299	2" x 1 1/2"	3 7/8"
LCT-8300	2 1/2" x 1 1/2"	6"
LCT-8301	2 1/2" x 2"	4 1/4"
LCT-8303	3" x 2"	6 3/8"
LCT-8304	3" x 2 1/2"	4 1/2"
LCT-8306	4" x 2"	10 1/2"
LCT-8307	4" x 2 1/2"	8 5/8"
LCT-8308	4" x 3"	6 3/4"

PART #	TUBE SIZE	DIM "A"
LCT-8363	2" x 1 1/2"	2 3/4"
LCT-8364	2 1/2" x 1 1/2"	4 7/8"
LCT-8365	2 1/2" x 2"	2 7/8"
LCT-8366	3" x 2"	4 29/32"
LCT-8367	3" x 2 1/2"	2 29/32"
LCT-8368	4" x 2"	9 1/32"
LCT-8369	4" x 2 1/2"	7 1/32"
LCT-8370	4" x 3"	5 1/32"



PART #	TUBE SIZE	DIM "A"
LCT-8374	2" x 1 1/2"	2 1/2"
LCT-8375	2 1/2" x 1 1/2"	4 1/2"
LCT-8376	2 1/2" x 2"	2 1/2"
LCT-8378	3" x 2"	4 1/2"
LCT-8379	3" x 2 1/2"	2 1/2"
LCT-8380	4" x 2"	8 5/8"
LCT-8381	4" x 2 1/2"	6 5/8"
LCT-8382	4" x 3"	4 5/8"

NOTE: Unless otherwise specified, all fittings in this section are 3A approved.

Butt-Weld Tee's



PART #	TUBE SIZE	DIM "A"	DIM "B"	DIM "C"
LCT-7012	1"	2 1/4"	1 1/8"	
LCT-7013	1 1/2"	3 5/16"	1 21/32"	
LCT-7014	2"	4 1/8"	2 1/16"	
LCT-7015	2 1/2"	4 11/16"	2 11/32"	
LCT-7016	3"	5 3/16"	2 19/32"	
LCT-7017	4"	6 7/8"	3 7/16"	



PART #	TUBE SIZE	DIM "A"	DIM "B"	DIM "C"
LCT-7051	1 1/2"	3 5/16"	1 21/32"	2 3/8"
LCT-7052	2"	4 1/8"	2 1/16"	2 13/16"
LCT-7053	2 1/2"	4 11/16"	2 11/32"	3 7/32"
LCT-7054	3"	5 3/16"	2 19/32"	3 1/2"
LCT-7055	4"	6 7/8"	3 7/16"	4 15/32"



PART #	TUBE SIZE	DIM "A"	DIM "B"	DIM "C"
LCT-7051	1 1/2"	3 5/16"	1 21/32"	2 5/32"
LCT-7052	2"	4 1/8"	2 1/16"	2 9/16"
LCT-7053	2 1/2"	4 11/16"	2 11/32"	2 27/32"
LCT-7054	3"	5 3/16"	2 19/32"	3 3/32"
LCT-7055	4"	6 7/8"	3 7/16"	4 1/16"



PART #	TUBE SIZE	DIM "A"	DIM "B"	DIM "C"
LCT-7051	1 1/2"	4 3/4"	1 21/32"	2 3/8"
LCT-7052	2"	5 5/8"	2 1/16"	2 13/16"
LCT-7053	2 1/2"	6 7/16"	2 11/32"	3 7/32"
LCT-7054	3"	7"	2 19/32"	3 1/2"
LCT-7055	4"	8 15/16"	3 7/16"	4 15/32"

NOTE: Unless otherwise specified, all fittings in this section are 3A approved.

Bevel Seat Fittings



ACME THREADED NUT (13H)

PART #	TUBE SIZE	DIM "A"	DIM "B"
LCT-2230	1"	1 13/16"	29/32"
LCT-2231	1 1/2"	2 13/32"	31/32"
LCT-2232	2"	3"	1 1/16"
LCT-2233	2 1/2"	3 19/32"	1 3/16"
LCT-2234	3"	4 3/16"	1 9/32"
LCT-2235	4"	5 27/64"	1 1/2"



BEVEL SEATED CAP (16A)

PART #	TUBE SIZE	DIM "A"	DIM "B"
LCT-2310	1"	15/32"	1 5/16"
LCT-2311	1 1/2"	9/16"	1 27/32"
LCT-2312	2"	5/8"	2 3/8"
LCT-2313	2 1/2"	21/32"	2 29/32"
LCT-2314	3"	23/32"	3 7/16"
LCT-2315	4"	13/16"	4 1/2"



PLAIN HOSE ADAPTER - SHORT (14AHT)

PART #	TUBE SIZE	DIM "A"	DIM "B"
LCT-2270	1"	1 3/8"	.870
LCT-2271	1 1/2"	1 1/2"	1.370
LCT-2272	2"	1 1/2"	1.870
LCT-2273	2 1/2"	1 3/4"	2.370
LCT-2274	3"	1 3/4"	2.870
LCT-2275	4"	1 3/4"	3.834



PLAIN HOSE ADAPTER - LONG (14AHT)

PART #	TUBE SIZE	DIM "A"	DIM "B"
LCT-2676	1"	4 11/16"	.870
LCT-2681	1 1/2"	4 11/16"	1.370
LCT-2685	2"	4 3/4"	1.870
LCT-2687	2 1/2"	4 7/8"	2.370
LCT-2690	3"	4 29/32"	2.870
LCT-2691	4"	5"	3.834

NOTE: Unless otherwise specified, all fittings in this section are 3A approved.

Bevel Seat Fittings & Misc.

THREADED FERRULE (15A)



PART #	TUBE SIZE	DIM "A"	DIM "B"
LCT-2506	1"	2"	.870
LCT-2507	1 1/2"	2 1/4"	1.370
LCT-2508	2"	2 1/2"	1.870
LCT-2509	2 1/2"	2 3/4"	2.370
LCT-2510	3"	3"	2.870
LCT-2511	4"	4"	3.834

HOSE END REDUCER (31TP)



PART #	TUBE SIZE	DIM "A"
LCT-8150	1 1/2" X 1"	4 1/16"
LCT-8151	2" X 1"	6 1/8"
LCT-8152	2" X 1 1/2"	4 1/4"
LCT-8153	2 1/2" X 1 1/2"	6 3/8"
LCT-8154	2 1/2" X 2"	4 3/8"
LCT-8156	3" X 2"	6 3/8"
LCT-8157	3" X 2 1/2"	4 5/8"
LCT-8160	4" X 2 1/2"	8 3/4"
LCT-8161	4" X 3"	6 3/4"

HOSE HOOK (15TH)



PART #	TUBE SIZE
LCT-5412-47	1"
LCT-5414-47	1 1/2"
LCT-5418-47	2"
LCT-5420-47	2 1/2"
LCT-5416-47	3"
LCT-5423-47	4"

SPECIAL NOTE ON FITTINGS:

There are many more different fittings available that are not shown in this section. If you have a special need, call us! We're experts when it comes to fabricating special fittings!

NOTE: Unless otherwise specified, all fittings in this section are 3A approved.

Clean In Place (CIP) Fittings



PART #	CIP CLAMP TUBE SIZE
LCT-3521	1 1/2”
LCT-3522	2”
LCT-3523	2 1/2”
LCT-3524	3”
LCT-3525	4”



PART #	CIP CAP TUBE SIZE
LCT-2210	1 1/2”
LCT-2211	2”
LCT-2212	2 1/2”
LCT-2213	3”
LCT-2214	4”
LCT-2215	6”



PART #	TUBE SIZE	CIP FERRULE DIM “A”	DIM “B”	DIM “C”
LCT-2360	1”	1 5/8”	.870	1.16
LCT-2361	1 1/2”	1 5/8”	1.370	1.675
LCT-2362	2”	1 3/4”	1.870	2.192
LCT-2363	2 1/2”	1 3/4”	2.370	2.708
LCT-2364	3”	1 13/16”	2.870	3.224
LCT-2365	4”	2 1/8”	3.834	4.256

SPECIAL NOTE ON FITTINGS:

There are many more different fittings available that are not shown in this section. If you have a special need, call us! We’re experts when it comes to fabricating special fittings!

NOTE: Unless otherwise specified, all fittings in this section are 3A approved.

Clean In Place (CIP) Assemblies

SB-1





Part # PLEASE CALL!